



The **Outdoor Campfire** is an excellent accessory to your patio furniture.

The set includes:

- Seven handcrafted logs
- Six designer wood chips
- Lava granules and coals
- 70,000 BTU Stainless Steel Burner
- Flame-sensor safety control system
- Electronic ignition
- Exclusively designed outdoor enclosure (34" diameter x 12" high)



For a complete Campfire you will need:

- OCR 34 Base, including burner and base
- OCR 34, Choose from T Ring (terracotta), G Ring (Granite), PC Ring (Plain Concrete)
- OCL 34 Logs

OUTDOOR CAMPFIRE OPTIONS

Add suffix N for Natural Gas or P for LP



Terracotta
(OCR-34-T)



Granite
(OCR-34-G)



Plain Concrete
(OCR-34-PC)



OUTDOOR CAMPFIRE TABLE TOP 54"

Add suffix N for Natural Gas or P for LP

- OCTT-54G** Bar Height Table - 40"
- OCTM-54G** Table Height Table - 30"
- OCTS-54G** Conversation Height Table - 24"

All Table Models include:

- Granite Table Top
 - Stainless Steel Burner and Valve Assembly
 - Connector Kit
 - Table Legs
 - Granules
- Glass Styles:
 Black (B)
 Clear (C)
 Sapphire Blue (S)
 Emerald Green (E)
 Bronze (Z)
- Log Styles:
 Campfire (OCL34)
 Beachwood (OCBW34)



GPF



PATIOFLAME CAMPFIRE


Add suffix N for Natural Gas or P for LP

- Incredible radiating heat
- 60,000 BTU's
- All stainless steel construction
- Weather resistant
- 5 piece "GLOCAST™" log Set
- 5 year limited warranty
- LP or natural gas
- Stone not included

FIRE RINGS




Black CRS Sizes	Concentric Rings	Hub Size
FR12 12"	1	1/2"
FR19 19"	2	1/2"
FR24 24"	2	1/2"
FR30 30"	3	1/2"
FR36 36"	3	1/2"



Stainless Steel Sizes	Concentric Rings	Hub Size
FRS12 12"	1	1/2"
FRS19 19"	2	1/2"
FRS24 24"	2	1/2"
FRS30 30"	3	1/2"
FRS36 36"	3	1/2"

FIREPIT ACCESSORIES



MH40PH - PATIO HEATER

- 40,000 BTU/Hr.
- UL Listed
- Quality stainless steel finish
- Adjustable bar table (Patent Pending)
- Innovative hide-a-way wheels (Patent Pending) - makes moving heater simple
- Variable heat
- Easy to assemble
- Uses 20 lb. propane cylinder
- 9.5' H x 31.75" Diameter

THUNDER RANGE

PORTABLE GAS COOKER



The small, lightweight THUNDER RANGE COOKER is perfect for:

- Picnics
- Camping
- Natural disaster relief
- The Thunder Range comes with a hard plastic case for more convenience
- Butane Canister easy to install and available at most hardware stores or your distributor
- Barbeque Side Burners
- Boating
- All outdoor and indoor cooking needs

Model Numbers	C1-201W (White)
Dimension	15"L x 11.8"W x 4.1:H
Fuel Consumption	208 Gms/HR-9925 BTU/HR
Weight	4.8 LBS (2.0 kgs)
Fuel	Butane (Bucan)
Ignition	Piezo Electric



PATIO TORCHES/LIGHTS

Red Dragon Patio Lights provide a soft, golden glow, enhancing any outdoor setting. No oily mess or fragile mantels, just the soothing light from an open flame. Available in 5 head styles to choose from.



Portable Patio Lights

Part#	Head Style
PT300-6C	Gas Light
PT301-6C	Curled Finger
PT302-6C	Fin
PT311-6C	Cone
PT411-6C	Copper Cone

Permanent Mount Patio Lights w/ Post

Part#	Head Style
PT300-6PM	Gas Light
PT301-6PM	Curled Finger
PT302-6PM	Fin
PT311-6PM	Cone
PT411-6PM	Copper Cone

Permanent Mount Patio Lights - Head Only

Part#	Head Style
PT300-6	Gas Light
PT301-6	Curled Finger
PT302-6	Fin
PT311-6	Cone
PT411-6	Copper Cone

**FIVE
Head
Styles To
Choose!**



Gas Light Head



Cone Head



Fin Head



Copper Cone Head



Finger Head



MOSQUITO MAGNET® EXECUTIVE (MM3300)

- **Cordless "SMART" Technology**
 - Easy to read LCD screen with enhanced Diagnostics
 - Up to 30 day Propane usage with 4 fuel saving modes
 - Trap Technology learn true day & night cycles
 - Cold temp indicator (below 50°F)
 - Low battery warning - signals need to recharge
 - Remote battery charger provides convenience
 - Signals when propane is out or nozzle clogged
 - Child safe control lock out
- **Patented Counter Flow™ Technology**
 - Air flow expels over attractant; thereby increasing mosquito catch rate 10x
 - In Take air flow draws mosquitoes into the trap
- **Patented Catalytic Converter**
 - Combines/Expel the correct proportion of CO2, attractant, heat & moisture
- **Higher dome lid with larger net capacity**
 - Increased net capacity beyond competition offering
 - Self contained nets - Secures insects from escaping & eliminates consumers need to handle directly



**1 ACRE
CORDLESS**



MOSQUITO MAGNET® INDEPENDENCE (MM3200)

- **Proven Cordless Operation**
- **Four "C" Batteries - Last all season**
- **Patented Counter Flow™ Technology**
 - Air flow expels over attractant, thereby increasing mosquito catch rate 10x
 - In take air flow draws mosquitoes into the trap
- **Patented Catalytic Converter**
 - Combines/Expels the correct proportion of CO2, attractant, heat & moisture
- **Easy set up**
 - Reinforced base at key stress points
- **Propane tank holder to stabilize base**

**1 ACRE
CORDLESS**



MOSQUITO MAGNET® DEFENDER (MM4000)

The Mosquito Magnet® Defender is designed for the homeowner with a smaller yard at a more affordable price.

- Easy 3-step assembly
- Quick start-up
- Compact, easy to empty net
- All-weather performance
- 50-ft. low voltage cord included (burying clips included)
- Sled base

**1/2 ACRE
CORDED**

One-year warranty

ACCESSORIES

OCTENOL3	Octenol cartridge	(3 pack)	MMQCC	Replacement CO2 Cartridge (3 pack)
LUREX3N	Lurex 3	(3 pack)	MM235008	Microplate Adapter
MM214002	Reset Tool	(Single)	MM3000CVR	Liberty Trap Cover
MM3100NET	Liberty Plus Net	(Single)	MM4000CVR	Defender Trap Cover
MM3000NET3	Liberty Net	(3 pack)	MM3100CVR	Liberty Plus Trap Cover
MM4000NET	Defender Net	(Single)	MMTNKCVR	LP Tank Cover
MM565021	Battery Pack	(Single)		

DORMONT APPLIANCE CONNECTORS



DORMONT APPLIANCE CONNECTORS

- Flexible stainless steel
- AGA listed for indoor or outdoor use
- Now available with high temperature black epoxy coating for hearth applications

HEATER CONNECTORS
 1/4" ID - 3/8" OD

Part #*	Length	NPT Connections
D10-2122-12	12"	3/8" MXF
D10-2122-18	18"	3/8" MXF
D10-2122-24	24"	3/8" MXF
D10-2122-36	36"	3/8" MXF
D10-2122-48	48"	3/8" MXF
D10-2122-60	60"	3/8" MXF

*Add an "A" after D10 for black epoxy, i.e., D10A-2122-XX

DRYER AND FURNACE CONNECTORS
 3/8" ID - 1/2" OD

Part #*	Length	NPT Connections
D20-3132-12	12"	1/2" MXF
D20-3132-18	18"	1/2" MXF
D20-3132-24	24"	1/2" MXF
D20-3132-36	36"	1/2" MXF
D20-3132-48	48"	1/2" MXF
D20-3132-60	60"	1/2" MXF
D20-3132-72	72"	1/2" MXF

*Add an "A" after D20 for black epoxy, i.e., D20A-3122-XX

DOMESTIC RANGE CONNECTORS
 1/2" ID - 7/8" OD

Part #	Length	NPT Connections
D30-3132-12	12"	1/2" MXF
D30-3132-24	24"	1/2" MXF
D30-3132-36	36"	1/2" MXF
D30-3132-48	48"	1/2" MXF
D30-4141-24	24"	3/4" MXM
D30-4141-48	48"	3/4" MXM
D30-4142-12	12"	3/4" MXF
D30-4142-24	24"	3/4" MXF
D30-4142-36	36"	3/4" MXF
D30-4142-48	48"	3/4" MXF

CONSTRUCTION HEATERS



RED DRAGON AG-235

The AG-235 (10' hose) and AG 235 A (25' hose) are powerful, lightweight, portable heaters which are perfect for temporary indoor heating of warehouses, buildings under construction, shop areas, workshops and remodeling areas. Burn clean, efficient propane and come fully assembled. Rated at 210,000 btu/hr.



SUNSTAR HEATER

SunStar's infrared construction heaters provide exceptional on-the-job versatility. These tough, reliable and job proven heater are packed with features for both economy and rugged endurance. Built with heavy gauge steel they are designed to withstand continuous seasonal use even in severe industrial and construction type environments.

FEATURES:

- No electricity required
- No moving parts
- 100% gas shutoff safety control
- Available with both manual and thermostatic control
- Lightweight for easy transportation
- Can be shipped UPS
- CSA approved

Item #	Control	Type	Input BTU/Hr	Supply Min	Supply Max	Clearance to Combustibles	
						Top	Side
RCH100-N6C	Manual	Natural	100,000	5"W.C.	14"W.C.	54"	60"
RCH100-L6C	Manual	Propane	95,000	11"W.C.	14"W.C.	54"	60"
RCH100-N9A	Thermostatic	Natural	100,000	5"W.C.	14"W.C.	54"	60"
RCH100-L9A	Thermostatic	Propane	100,000	11"W.C.	14"W.C.	54"	60"

Dimensions: Height: 32 1/2"
 Base: 14" Round
 Shipping Weight: 40 lbs.
 Area Coverage: 1500-2500 sq. ft. (dependent of building heat loss)

MR. HEATER SMALL PORTABLE HEATERS



EMH9B

Indoor Safe! This 4000-9000 btu heater has an automatic low-oxygen shut off system. It uses a 1 lb. cylinder, or can be connected to a 20 lb. cylinder for outside use.



EMH12-T

POL connection for use with standard cylinder. 12,000 BTU/hr.



EMH24-T

Two 12,000 BTU burners. One can be used for 12,000 BTU or both for 24,000 BTU. POL connection for use w/standard cylinder.



SMALL MR. BUDDY MH4BC

3,800 BTU BaseCamp Heater. One button ignition/on function. Oxygen depletion sensor. 8" round stand uses little floor space. Heats up to 200sq. ft. Connects directly to one 1lb. disposable cylinder.

GAS LIGHTS



GAS LIGHT BRASS MHGLLPB

BaseCamp Gaslight in Brass finish. Output equal to a 70 watt bulb. Mounts with gas line either through the wall or surface mounted. Includes hard mantle for stationary structures and soft mantle for RV use.

COMPOSITE CYLINDER



R-CC COMPOSITE 16# CYLINDER

These Ragasco Cylinders visibly show the liquid level at all times. This units design gives a softer friendlier look than traditional cylinders. The handgrip has no rough edges and is 50% lighter than steel cylinders and holds the same gas volume. The R-CC cylinders are non-corrosive and test show when attacked by fire the unit reacts with a controlled burnout rather than an explosion.

PORTABLE D.O.T. CYLINDERS



5# VERTICAL

MANCHESTER STEEL VAPOR CYLINDERS



20# VERTICAL



40# VERTICAL



100# VERTICAL



420# VERTICAL

Size	Description	Item #
5#	Vertical w/ OPD	M10054
6#	Vertical w/ OPD	
10#	Vertical w/ OPD	M10228.4
11#	Vertical w/ OPD	M10393.1
20#	Vertical w/ OPD	M10504
20#	Vertical "Sureflame" OPD, w/gauge	M10504.107*
20#	Vertical w/ OPD & gauge	M10834TC.1
20#	Vertical w/OPD Quick Disconnect	M10502
20#	Horizontal w/ OPD	M10144TC.3
20#	Horizontal w/ OPD w/ gauge	M10487TC
30#	Vertical w/ OPD	M1160.8
30#	Vertical w/ OPD w/ gauge	M1166.2
30#	Horizontal w/ OPD	M1164TC.1
30#	Horizontal w/ OPD w/ gauge	M1175TC
40#	Vertical w/ OPD	M1220.13
40#	Vertical w/ OPD w/ gauge	M1222TC.2
50#	Vertical w/ 10% POL & collar	M14990TC
60#	Vertical w/ 10% POL & collar	M1426
100#	Vertical w/ 10% POL & collar	M1428
100#	Vertical w/ multivalve & collar	M1436
200#	Vertical w/ multivalve & gauge	M14205.1
420#	Vertical w/ POL, outage, fill, relief, & gauge	M1499.1
28gal	Vertical ASME w/ Multivalve & Gauge	M681438L

*Sureflame valve has a gauge in the handwheel.